

# Conveyor system -SPIRAL

F45

FT

FS

FL

F65

FM

F85

FH

FK

FB140

FB175

FB295

**SPIRAL**

FW

FLX

FMX

FHX

FBX175

FBX295

ACC

CA

PAL

FC

TOOL

IDX

Contents

Spiral

# Conveyor system -SPIRAL



# Conveyor system -SPIRAL

## Spiral conveyor Configuration strings

Available chain widths:  
83mm 175mm 295 mm

Diameter:  
1000 - 1400 mm at center-line

Maximum angles: 10°

Maximum number of winding: 4

Maximum distance between winding:  
762 mm

Maximum speed: 30 meter/min

Maximum item weight: 15kg

**F85 spiral**



**F175 spiral**



**F295 spiral**



F45

FT

FS

FL

F65

FM

F85

FH

FK

FB140

FB175

FB295

**SPIRAL**

FW

FLX

FMX

FHX

FBX175

FBX295

ACC

CA

PAL

FC

TOOL

IDX

# Conveyor system -SPIRAL

## Spiral conveyor Configuration strings

Diameter:  
500 mm at center-line

Maximum number of winding: 4

Maximum distance between winding:  
200 mm

Maximum speed: 50 meter/min

Maximum item weight: 1kg/meter



Type A



Type B



Type C



Type D

## F85 spiral Small Diameter

